

SOLVER. DECKING INSTALLATION **ACCESSORIES**

Simple and fast installation



Hidden deck fasteners system

The hidden deck fastener system allows to fix the terrace planks to the joists without screw visible on the top of the terrace surface. With this solution decks become more natural. Each plank can be disassembled immediately without plank surface damage. This is worldwide patented system where plank is separated from the joist and there is no rotting process underneath which destroys decking. With a oiling decking from the top only decking becomes everlasting.



Invisible fixing

Planks to not have visible screws on the top



Durability

Invisible deck fasteners resistant to external weather conditions.



Universal

Possibility to use with all kind of wood species



Durability


Fasteners fixed planks with joists firmly



Security

No screws visible on the top

Patented decking assembly system



Installation

Hidden deck fasteners are fixed to planks from the bottom. Each plank is fixed invisible to the joists in joint between planks,

Decking installation **accessories**

Hidden deck fasteners

SOLVER.

1



Invisible fixing

With fasteners terrace planks are invisibly fixed to the joists. There is no visible screws on the top.

2



Planks gap

Using hidden deck fasteners creates equal gap between planks.

3



Size

Fasteners are available in three sizes that fits to all standard terrace planks widths.


4



Easy installation

Hidden deck fasteners helps with easy, fast and everlasting decking installation.

Hidden deck fastener DECK-DRY, plank width 83-90 mm



Name	Hidden deck fastener DECK-DRY, plank width 83-90 mm
Application	• Deck with small width planks
Short name	DEC-LT90-(400)
Code	301.010111
Height	15 mm
Plank width	83 - 90 mm
Material	plastic
Colour	black
Included	• Hidden deck fastener DECK-DRY - clip with screws included, plank width 83-90 mm (31 pcs/sqm)


SOLVER.

Hidden deck fasteners

Hidden deck fastener DECK-DRY, plank width 112-121 mm




Name	Hidden deck fastener DECK-DRY, plank width 112-121 mm
Application	• Deck with medium width planks
Short name	DEC-LT120-(300)
Code	301.010211
Height	15 mm
Plank width	112 - 121 mm
Material	plastic
Colour	black
Included	• Hidden deck fastener DECK-DRY - clip with screws included, plank width 112 - 121 mm (24 pcs/sqm)



Hidden deck fastener DECK-DRY, plank width 138-145 mm



Name	Hidden deck fastener DECK-DRY, plank width 138-145 mm
Application	• Deck with large width planks
Short name	DEC-LT145-(250)
Code	301.010311
Height	15 mm
Plank width	138 - 145 mm
Material	plastic
Colour	black
Included	• Hidden deck fastener DECK-DRY - clip with screws included, plank width 138 - 145 mm (20 pcs/sqm)



Decking installation **accessories**

Hidden deck fasteners **accessories**

SOLVER.

Image	Name	Where to use	Short name	Code	Dimensions a - length b - width h - height	Example of application
	Start-end clip for hidden deck fasteners DECK-DRY, screw included	Clip placed on the start and finish edge of the joist.	DEC-STEND-(1000)	301.010411	a - 25 mm b - 21 mm h - 6 mm	
	Hidden deck fastener DECK-DRY screw UW6.0X18 (plank thickness min 21 mm) - galvanized silver	Screw for fixing clips with planks. Plank thickness > 21 mm.	DEC-W6X18ZN-(2000)	301.020311	Ø - 6 mm a - 18 mm	
	Hidden deck fastener DECK-DRY screw UW6.0X21 (plank thickness min 25 mm) - galvanized silver	Screw for fixing clips with planks. Plank thickness > 25 mm.	DEC-W6X21ZN-(2000)	301.020411	Ø - 6 mm a - 21 mm	
	Hidden deck fastener DECK-DRY screw for joists (wood, WPC, aluminium) 5X30 - galvanized black	Screw for fixing hidden deck fasteners to joists.	DEC-T5X30ZN-(2000)	301.020111	Ø - 5 mm a - 30 mm	
	Hidden deck fastener DECK-DRY screw for joists (wood, WPC, aluminium) 5X30 - silver inox	Screw for fixing hidden deck fasteners to joists.	DEC-T5X30A2-(2000)	301.020211	Ø - 5 mm a - 30 mm	
	Screwdriver Bit T20 extended length for hidden deck fastener DECK-DRY	Bit for drill driver that helps hidden deck fasteners installation.	DEC-BIT20-(1)	301.030111	Ø - 7 mm a - 100 mm	

Decking installation **accessories**

Universal **WPC clip**

WPC decking assembly

Universal WPC clip creates equal gap between planks and fix them to the joists with a screw.



Easy installation

WPC deck installation with clips is fast and easy.

Universal WPC clip accessories

Image	Name	Where to use
	Hidden deck fastener DECK-DRY screw for joists (wood, WPC, aluminium) 5X30 - galvanized black	Screw for fixing hidden deck fasters to joists.

Short name	Code	Dimensions a - length b - width h - height	Example of application
DEC-T5X30ZN-(2000)	301.020111	a - 50 mm b - 24 mm h - 12 mm	

SOLVER.



Hidden T clip for WPC decking



Name	Hidden T clip for WPC decking
Application	• Making WPC decking with equal joint gap width
Short name	DEC-WPCK-(1000)
Code	301.010511
Joint gap width	6,5 mm
Material	plastic
Colour	black
Included	• Universal mounting WPC clip

